





Ergebnis: **411.6** (394)
 Serien: 104.2 103.3 101.1 103.0
 Zähler: 35 4 1 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 558 (28), 390 (29), 380 (16)
 beste Teiler 8.0 (13.) 26.5 (23.) 26.6 (15.)
 Trefferlage 0.38 mm links, 0.32 mm hoch
 Streuwert 1.36, horizontal: 1.64, vertikal: 1.01




Serie 1:
 10.2 * 10.4 * 10.1 ← 10.7 * 10.6 *
 10.5 * 10.7 * 10.5 * 9.9 ↘ 10.6 *
 beste Teiler 54.7 (7.) 61.6 (4.) 94.1 (10.)
 Trefferlage 0.34 mm links, 0.22 mm hoch
 Streuwert 1.06, horizontal: 1.30, vertikal: 0.73



Serie 2:
 10.2 * 10.7 * 10.9 * 10.3 * 10.8 *
 9.4 ← 10.5 * 9.5 ← 10.6 * 10.4 *
 beste Teiler 8.0 (13.) 26.6 (15.) 65.7 (12.)
 Trefferlage 0.40 mm links, 0.08 mm tief
 Streuwert 1.44, horizontal: 1.86, vertikal: 0.81



Serie 3:
 10.1 ↘ 10.2 * 10.8 * 10.7 * 10.4 *
 10.1 ↗ 10.6 * 8.7 ↘ 9.4 ← 10.1 ↑
 beste Teiler 26.5 (23.) 58.0 (24.) 76.4 (27.)
 Trefferlage 0.75 mm links, 0.78 mm hoch
 Streuwert 1.74, horizontal: 2.11, vertikal: 1.26





Serie 4:
 10.1 ↘ 10.8 * 10.4 * 10.3 * 10.3 *
 10.3 * 10.0 ← 10.4 * 10.1 → 10.3 *
 beste Teiler 45.6 (32.) 127.4 (38.) 134.7 (33.)
 Trefferlage 0.03 mm links, 0.37 mm hoch
 Streuwert 1.21, horizontal: 1.34, vertikal: 1.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.1** (397)
 Serien: 102.9 103.3 104.1 103.8
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 345 (4), 301 (20), 281 (33)
 beste Teiler 9.0 (24.) 55.4 (26.) 58.4 (37.)
 Trefferlage 0.03 mm links, 0.19 mm tief
 Streuwert 1.18, horizontal: 1.38, vertikal: 0.93




Serie 1:
 10.5 * 10.6 * 10.2 * 9.6 → 10.1 ↘
 10.3 * 10.2 * 10.4 * 10.7 * 10.3 *
 beste Teiler 72.1 (9.) 87.6 (2.) 122.0 (1.)
 Trefferlage 0.44 mm rechts, 0.23 mm tief
 Streuwert 1.33, horizontal: 1.60, vertikal: 0.98



Serie 2:
 10.1 ↙ 10.5 * 10.3 * 10.5 * 10.4 *
 10.5 * 10.4 * 10.3 * 10.6 * 9.7 →
 beste Teiler 90.5 (19.) 109.8 (12.) 114.9 (16.)
 Trefferlage 0.11 mm links, 0.49 mm tief
 Streuwert 1.16, horizontal: 1.41, vertikal: 0.84



Serie 3:
 10.4 * 10.3 * 10.1 → 10.9 * 10.1 ←
 10.7 * 10.2 * 10.5 * 10.6 * 10.3 *
 beste Teiler 9.0 (24.) 55.4 (26.) 88.5 (29.)
 Trefferlage 0.00 mm , 0.21 mm hoch
 Streuwert 1.12, horizontal: 1.33, vertikal: 0.86





Serie 4:
 10.7 * 10.4 * 9.8 ↘ 10.4 * 10.1 ↖
 10.3 * 10.7 * 10.1 ← 10.7 * 10.6 *
 beste Teiler 58.4 (37.) 65.3 (31.) 74.1 (39.)
 Trefferlage 0.49 mm links, 0.26 mm tief
 Streuwert 1.10, horizontal: 1.19, vertikal: 1.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (353.8)
 Serien: 82 81 85 88
 Zähler: 6 17 9 3 5 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3611 (7), 3427 (3), 3422 (14)
 beste Teiler 100.1 (26.) 233.1 (4.) 598.0 (10.)
 Trefferlage 3.01 mm links, 7.91 mm tief
 Streuwert 12.31, horizontal: 11.10, vertikal: 13.41




Serie 1:
 8.6 ↙ 8.0 ↙ 6.7 ↙ 10.7 * 10.2 ←
 7.4 ← 6.4 ↙ 9.6 ↓ 8.7 ↓ 10.2 →
 beste Teiler 233.1 (4.) 598.0 (10.) 608.6 (5.)
 Trefferlage 8.72 mm links, 13.19 mm tief
 Streuwert 11.01, horizontal: 11.86, vertikal: 10.09



Serie 2:
 9.0 ↙ 6.7 ↙ 8.8 ↘ 6.7 ↓ 9.4 ↘
 9.3 ↗ 9.4 ↗ 8.3 ↙ 8.6 ↓ 9.3 ↓
 beste Teiler 1204.4 (15.) 1275.3 (17.) 1315.8 (20.)
 Trefferlage 1.03 mm links, 10.80 mm tief
 Streuwert 13.29, horizontal: 11.92, vertikal: 14.53



Serie 3:
 9.0 ↙ 8.5 ↓ 8.4 ↓ 6.8 ↓ 9.9 ↓
 10.8 * 9.2 ↘ 10.0 ← 7.6 ↓ 9.2 ↑
 beste Teiler 100.1 (26.) 738.8 (28.) 867.1 (25.)
 Trefferlage 0.77 mm links, 8.95 mm tief
 Streuwert 12.11, horizontal: 6.11, vertikal: 16.00





Serie 4:
 9.5 ↗ 9.4 ↙ 8.2 ↗ 9.4 ↑ 9.2 ↘
 9.9 ← 9.1 ↙ 9.7 → 10.1 ↓ 7.9 ←
 beste Teiler 661.3 (39.) 850.9 (36.) 1040.0 (38.)
 Trefferlage 1.51 mm links, 1.28 mm hoch
 Streuwert 10.96, horizontal: 12.87, vertikal: 8.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295** (312.2)
 Serien: 81 67 76 71
 Zähler: 0 11 11 8 6 1 2 1 0 0
 Innenzehner: 0
 weiteste: 6319 (17), 5466 (32), 5383 (33)
 beste Teiler 825.1 (4.) 902.7 (10.) 910.6 (11.)
 Trefferlage 9.90 mm links, 5.67 mm hoch
 Streuwert 18.59, horizontal: 16.74, vertikal: 20.26




Serie 1:
 8.4 ↙ 9.0 ↘ 8.1 ↙ 9.9 ↘ 8.0 ↙
 8.9 ↙ 7.7 ↙ 9.8 ← 6.1 ↑ 9.8 ↗
 beste Teiler 825.1 (4.) 902.7 (10.) 952.1 (8.)
 Trefferlage 11.48 mm links, 0.92 mm tief
 Streuwert 13.17, horizontal: 7.91, vertikal: 16.87



Serie 2:
 9.8 ← 6.2 ↘ 6.1 ↗ 7.6 ↓ 8.9 ↑
 6.9 ← 3.1 ↗ 6.8 ↙ 8.6 ↓ 8.3 ↓
 beste Teiler 910.6 (11.) 1612.1 (15.) 1854.2 (19.)
 Trefferlage 4.09 mm links, 2.45 mm hoch
 Streuwert 24.34, horizontal: 23.56, vertikal: 25.09



Serie 3:
 8.1 ↑ 7.4 ← 9.6 ← 7.1 ← 7.3 ↓
 7.0 ↗ 8.7 ↘ 6.5 ↘ 8.7 ↘ 9.4 ←
 beste Teiler 1073.4 (23.) 1272.3 (30.) 1769.6 (27.)
 Trefferlage 11.87 mm links, 7.55 mm hoch
 Streuwert 15.50, horizontal: 14.03, vertikal: 16.83





Serie 4:
 7.4 ↘ 4.1 ↑ 4.2 ↗ 9.2 ← 9.5 ↘
 9.2 ↘ 9.4 ↘ 5.4 ← 7.4 ← 8.6 ←
 beste Teiler 1192.7 (35.) 1264.8 (37.) 1384.5 (34.)
 Trefferlage 12.15 mm links, 13.63 mm hoch
 Streuwert 19.97, horizontal: 18.71, vertikal: 21.15

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	511	(538.0)				
Serien:	88	86	81	84	88	84
Zähler:	15	19	13	9	3	1 0 0 0 0
Innenzehner:	7					
weiteste:	4116 (23), 3694 (60), 3628 (58)					
beste Teiler	186.0 (3.) 348.7 (7.) 436.0 (4.)					
Trefferlage	2.58 mm links, 0.12 mm tief					
Streuwert	13.14, horizontal: 11.70, vertikal: 14.43					



Serie 1:

9.0 ↓	9.6 ↙	10.7 *	10.4 *	8.5 ↓
8.2 ←	10.5 *	9.9 ↑	8.0 ↓	7.7 ↙


beste Teiler 186.0 (3.) 348.7 (7.) 436.0 (4.)
 Trefferlage 3.35 mm links, 7.79 mm tief
 Streuwert 10.03, horizontal: 8.04, vertikal: 11.69



Serie 2:

9.7 ↑	9.3 ←	7.6 ↘	8.7 →	10.4 *
9.3 ←	9.0 ↑	8.1 ↑	9.5 ↘	8.5 ↑


beste Teiler 446.8 (15.) 967.0 (11.) 1125.5 (19.)
 Trefferlage 1.99 mm links, 8.72 mm hoch
 Streuwert 10.49, horizontal: 10.09, vertikal: 10.87



Serie 3:

9.5 ↑	8.9 ↘	5.8 ↑	7.4 ↙	9.5 ↓
9.7 ↑	9.9 ↘	10.4 *	6.9 ↙	9.6 ↓


beste Teiler 465.9 (28.) 847.4 (27.) 1020.0 (26.)
 Trefferlage 0.41 mm links, 1.95 mm tief
 Streuwert 15.59, horizontal: 12.62, vertikal: 18.07



Serie 4:

8.7 ↙	10.0 ←	7.0 ↙	7.8 ↗	9.4 ↙
8.1 ↙	7.4 →	10.3 ↙	10.1 ↑	8.7 ↑


beste Teiler 532.6 (38.) 658.5 (39.) 795.4 (32.)
 Trefferlage 0.94 mm links, 4.15 mm tief
 Streuwert 14.39, horizontal: 14.98, vertikal: 13.76



Serie 5:

10.4 *	8.4 ↑	9.8 →	10.4 *	10.2 ←
9.8 ↙	10.1 ↘	7.1 ↑	7.7 ←	8.4 ↓

beste Teiler 439.6 (41.) 459.3 (44.) 591.0 (45.)
 Trefferlage 3.82 mm links, 1.44 mm hoch
 Streuwert 12.04, horizontal: 9.77, vertikal: 13.94



Serie 6:

9.9 ←	9.8 ↑	9.7 ↙	10.0 ↙	10.0 ↘
10.2 →	8.2 ↘	6.4 ↑	7.5 ←	6.3 ↙

beste Teiler 620.4 (56.) 733.8 (55.) 749.4 (54.)
 Trefferlage 4.96 mm links, 2.98 mm hoch
 Streuwert 14.94, horizontal: 15.31, vertikal: 14.56

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 22

Lins, Ramona #505

StartNr: 689



30. März 2019 11:38

V – SSV Rankweil


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **172** (182.7)
 Serien: 89 83
 Zähler: 3 10 5 1 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4091 (19), 2405 (11), 1773 (4)
 beste Teiler 44.6 (20.) 239.5 (10.) 706.1 (3.)
 Trefferlage 1.66 mm links, 2.39 mm hoch
 Streuwert 11.82, horizontal: 8.75, vertikal: 14.24





Serie 1:
 9.2 ↓ 9.5 ↙ 10.1 → 8.7 ↑ 8.9 ↑
 9.8 ↓ 9.1 ← 8.9 ← 9.0 ↑ 10.7 *
 beste Teiler 239.5 (10.) 706.1 (3.) 919.7 (6.)
 Trefferlage 1.84 mm links, 1.57 mm hoch
 Streuwert 9.80, horizontal: 8.22, vertikal: 11.15




Serie 2:
 7.9 ↗ 9.0 ↘ 8.8 ↙ 9.0 ↙ 8.9 ↖
 9.7 ↙ 9.4 ↘ 9.4 ← 5.8 ↑ 10.9 *
 beste Teiler 44.6 (20.) 962.7 (16.) 1211.9 (18.)
 Trefferlage 1.48 mm links, 3.21 mm hoch
 Streuwert 14.08, horizontal: 9.68, vertikal: 17.39

Unterschrift des Schützen

Ergebnis: **180** (187.0)
 Serien: 89 91
 Zähler: 7 8 3 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3013 (5), 2582 (1), 2180 (14)
 beste Teiler 398.2 (13.) 495.9 (4.) 713.3 (11.)
 Trefferlage 3.43 mm rechts, 1.99 mm hoch
 Streuwert 10.18, horizontal: 10.85, vertikal: 9.46





Serie 1:
 7.7 ↑ 10.1 ← 9.4 ← 10.3 → 7.2 ↘
 9.5 ↘ 9.3 ↗ 8.6 ← 10.0 ← 10.0 ↑
 beste Teiler 495.9 (4.) 718.1 (2.) 727.6 (9.)
 Trefferlage 0.80 mm links, 2.19 mm hoch
 Streuwert 11.91, horizontal: 12.10, vertikal: 11.71




Serie 2:
 10.1 ↓ 9.6 ↗ 10.5 * 8.2 → 10.0 →
 8.3 → 9.5 ↗ 9.7 → 9.8 ↑ 9.2 ↓
 beste Teiler 398.2 (13.) 713.3 (11.) 774.2 (15.)
 Trefferlage 7.68 mm rechts, 1.78 mm hoch
 Streuwert 7.54, horizontal: 7.88, vertikal: 7.18

Unterschrift des Schützen

Ergebnis: **185.9** (176)
 Serien: 91.9 94.0
 Zähler: 6 5 8 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 861 (7), 662 (3), 580 (20)
 beste Teiler 70.1 (14.) 89.5 (16.) 193.6 (8.)
 Trefferlage 1.64 mm links, 0.25 mm tief
 Streuwert 3.12, horizontal: 2.70, vertikal: 3.50





Serie 1:
 8.9 ↓ 10.2 * 8.3 ↓ 10.1 ↓ 9.0 ↖
 8.8 ↓ 7.5 ↖ 10.2 * 9.6 ↖ 9.3 ↓
 beste Teiler 193.6 (8.) 200.0 (2.) 217.2 (4.)
 Trefferlage 1.74 mm links, 1.27 mm tief
 Streuwert 3.24, horizontal: 2.50, vertikal: 3.83




Serie 2:
 9.0 ↑ 8.8 ↓ 10.2 * 10.7 * 8.8 ↗
 10.6 * 8.7 ↖ 9.8 ↑ 8.8 ← 8.6 ←
 beste Teiler 70.1 (14.) 89.5 (16.) 193.8 (13.)
 Trefferlage 1.54 mm links, 0.76 mm hoch
 Streuwert 2.99, horizontal: 3.02, vertikal: 2.97

Unterschrift des Schützen

Ergebnis: **179.9** (171)
 Serien: 86.9 93.0
 Zähler: 2 9 7 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 964 (5), 768 (7), 734 (2)
 beste Teiler 121.6 (20.) 156.0 (15.) 253.1 (6.)
 Trefferlage 0.10 mm rechts, 2.47 mm hoch
 Streuwert 3.41, horizontal: 4.01, vertikal: 2.68





Serie 1:
 8.7 ↑ 8.0 → 8.2 ↗ 9.5 ↑ 7.1 ↗
 9.9 ↘ 7.9 ↙ 8.6 ↘ 9.2 ← 9.8 ↘
 beste Teiler 253.1 (6.) 286.5 (10.) 358.4 (4.)
 Trefferlage 0.93 mm rechts, 2.48 mm hoch
 Streuwert 4.08, horizontal: 4.72, vertikal: 3.33




Serie 2:
 9.5 ↘ 8.7 ← 9.2 ↑ 8.6 ↗ 10.3 *
 9.5 ↑ 8.6 ← 9.0 ↑ 9.1 ↘ 10.5 *
 beste Teiler 121.6 (20.) 156.0 (15.) 367.6 (16.)
 Trefferlage 0.72 mm links, 2.46 mm hoch
 Streuwert 2.67, horizontal: 3.19, vertikal: 2.02

Unterschrift des Schützen

Ergebnis: **182.3** (176)
 Serien: 92.7 89.6
 Zähler: 5 8 5 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 957 (16), 884 (19), 737 (3)
 beste Teiler 59.0 (5.) 194.0 (4.) 221.6 (14.)
 Trefferlage 3.30 mm links, 0.55 mm hoch
 Streuwert 2.88, horizontal: 3.21, vertikal: 2.50



Serie 1:
 9.1 ← 10.0 ← 8.0 ↖ 10.2 * 10.7 *
 8.2 ↘ 9.1 ↘ 9.3 ↙ 8.7 ← 9.4 ↖
 beste Teiler 59.0 (5.) 194.0 (4.) 237.2 (2.)
 Trefferlage 3.45 mm links, 0.89 mm hoch
 Streuwert 2.22, horizontal: 2.01, vertikal: 2.42



Serie 2:
 10.0 ↘ 9.1 ↑ 9.9 ↑ 10.1 ↗ 9.8 →
 7.1 ↙ 8.2 ← 9.9 ↙ 7.4 ← 8.1 ←
 beste Teiler 221.6 (14.) 239.8 (11.) 267.0 (13.)
 Trefferlage 3.14 mm links, 0.21 mm hoch
 Streuwert 3.52, horizontal: 4.20, vertikal: 2.66

Unterschrift des Schützen